

Application/Control No.

09/461.887

Shengjun Wang

DARTEY ET AL.

Applicant(s)/Patent under Reexamination

Examiner

Art Unit

1	Rejected
	Allowed

	-	(Through numeral) Cancelled						
Ī		Destricted.						

N	Non-Elected
Γ.	1

A	Appeal						
0	Objected						

1617

Claim Date		Cli	aim	Date		CI	aim	Date						
Final	12/12/05			Final			Final							
1 1	1=				51		H		101	\vdash		\vdash	+	t
2 2	1=1	++		66	52				102			П	_	T
3 3	1=1	+			53				103	\vdash		П		T
4 4	=	711			54				104					Т
5 5	=				55				105					Ι
6 6	1=1				56				106					Τ
7 7	1=1				57				107	П		П		Ι
8 8	=				58				108			П	Ι.,	Ι
9 9	=				59				109					Ι
10 10	=				60				110					
11 11					61				111					T
12 12					62			8	112					1
13 13					63			9	113				\perp	1
14 14					64				114			\perp	\perp	1
15 15					65				115		\perp	\perp	_	1
16 16					66		Ш		116	Ш.		1	\perp	4
17 17					67				117		\vdash	\perp	\perp	4
18 18					68				118	ш		\sqcup		4
19 19					69				119	Ш		ш		4
20					70			_	120	11	Ц.	\vdash	-	4
21					71				121	Ц.	_	1	\perp	4
22					72				122		Ц.	\perp	-	4
23					73			_	123	Ц.	-	\perp	_	4
24					74		Ш		124	\vdash	₩.	\perp	-	4
25		\perp			75	\bot			125	Ц.	Н-	\vdash	_	4
26		_			76	\bot			126	₩-	1	₩	-	4
27	'				77			-	127	₩	-	\vdash	-	4
28					78	++++	- 1	1	128	₩	\vdash	+	-	4
29		+	\perp	111	79	++++			129	₩-	\vdash	+	-	4
30		+++	+++		80				130	₩-	\vdash	+	-	4
31		+++	++++		81	++++		-	131	₩-	-	+	+	4
32		+++			82				132	++-	\vdash	+	+	4
33		\rightarrow		-	83	++++		-		++		+	-+-	+
34		+++	+++-	HH	84	 		-	134	+	 - -	+	+	+
36		+++	++++		86	+++++		-	136	++	+	+	-+-	+
		+++	+++-		87		+	-	137	++-	+	+	+	+
37		+++	+		88	+++++	++	1	138	++	+	+-	+	+
38		-++	+++-		89		+		138	++	+	+	+	+
40		+++	+++	131-	90	 	+	1	140	++-	+	+	+	+
41		++	++++		91	 	+-	H-	141	++-	+	+	+	+
42		+++	+++-	-	92	 	+	1	142	++	+	++	+	+
43		+++	++++		93	 	++		143	++	+	11	+	+
44		++	++++		94		\Box	-	144	+	+	+	+	+
45		+++	+++		95	 	HÌ		145	+	++	+	+	+
46		+++	++++		96	++++	++1	1	146	++	+	+	+	+
47		+++	+++		97	+ + + + + + + + + + + + + + + + + + + 	+	H	147	+	++	+	+	+
48		+++	+++-		98	 	++	-	148	++	+	+	\pm	+
49		+++	+-+-+-	100-	99	+ 	++		149	++	+	++	+	+
50		+++	+-++	1	100	++++ -	HH	1	150	++	+	+-	-+-	+